



UNITED STATES PATENT AND TRADEMARK OFFICE

SP

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/658,069	09/09/2003	Jason L. Bradshaw	2338/5	4071

23381 7590 01/11/2005

DORR CARSON SLOAN & BIRNEY, PC
3010 EAST 6TH AVENUE
DENVER, CO 80206

EXAMINER

WIEKER, AMANDA FLYNN

ART UNIT PAPER NUMBER

3743

DATE MAILED: 01/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/658,069

Applicant(s)

BRADSHAW, JASON L.

Examiner

Amanda F. Wieker

Art Unit

3743

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 September 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-48 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 42-46 is/are rejected.
- 7) ☒ Claim(s) 47 and 48 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 September 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>9/9/03</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the subject matter of claim 18 (the outer boot shell, soft boot and cuff members in different prefabricated sizes) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

2. The use of the trademark VELCRO® has been noted in this application. It should be capitalized wherever it appears and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

Claim Objections/Suggestions

3. Claims 1, 21 and 32 are objected to because of the following informalities:

In claim 1, at line 27, there is insufficient antecedent basis for "the hard, outer foot shell". This should be amended to read: --the hard, outer boot shell--, as introduced in line 7. An identical problem exists in claims 21 and 32.

In claim 8, at line 3, it is suggested that --the-- be inserted between "atop" and "first" to improve the clarity of the claim. Identical suggestions are made for claims 9 (line 3), 22 (line 3), 23 (line 3), and 38 (line 3).

Appropriate correction is required.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -


(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 42-46 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent Number 5,329,705 to Grim et al.

Grim et al. disclose a suspension walker capable of transferring at least a portion of a patient's weight normally applied to the patient's foot to the patient's calf to thereby at least partially suspend the patient's foot in the walker, said suspension walker including: a hard,

Art Unit: 3743

outer boot shell (14) with upright brace members (16) on each side respectively extending upwardly to positions adjacent each side of the patient's calf, a soft boot (20) on said hard, outer boot shell to receive the patient's foot with said soft boot having at least a main pad (52) attached thereto, and a cuff member (28) securable about the patient's calf and infinitely, adjustably securable to said brace members vertically along a predetermined length of each brace member (via hook-and-loop attachments between strap 28 and brace 16; see column 3, lines 47-51). Grim et al. disclose that each brace member (16) has inner and outer sides and one of each pair of mating hook and loop fasteners is mounted vertically on the inner side of each brace member (see Figure 2, and again column 3, lines 47-51). As broadly considered, the cuff (28) is secured to the calf by laces, as the cuff (28) laces through eyelet (30) to be secured onto itself, by hook-and-loop fasteners on the cuff. The walker includes at least one additional strap member securable around the brace members.



Art Unit: 3743

Allowable Subject Matter


6. Claims 47 and 48 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

7. Claims 1, 21 and 32 are objected to as noted above, due to antecedent basis problems. Claims 2-20, 22-31 and 33-41 incorporate this objection due to their dependence on claims 1, 21 and 32, and therefore are also objected to. The claims appear to be otherwise allowable, if the objectionable material is corrected.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amanda F. Wieker whose telephone number is 571-272-4794. The examiner can normally be reached on Monday-Thursday, 8:30 - 6:00 and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry Bennett can be reached on 571-272-4791. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Amanda F. Wieker
Examiner
Art Unit 3743

Application/Control Number: 10/658,069

Page 6

Art Unit: 3743

afw



Henry Bennett
Supervisory Patent Examiner
Group 3700